



SHRI LAL BAHADUR SHASTRI GOVT. MEDICAL COLLEGE
AND HOSPITAL MANDI AT NERCHOWK, DISTT. MANDI, H.P
E-Mail Address = prslbsgmchmandi@gmail.com
Telephone No. 01905-243945, 243950 Fax No. 01905-243949



No. HFW-SL.BSGMC-Proc-BioChem-03/2025- 21638-39

Dated: 08/09/26

Limited Tender Document
For Consumable/ Reagent items required in the
Department of Biochemistry of SLBSGMC&H, Mandi at
Nerchowk, HP



Limited Tender Document Fee Rs. 500/- (Rupees Five Hundred Only)

Bid Submission Start Date	09/09/2026
Bid Submission Last Date	29/09/2026 at 11:00 AM
Technical Bid Opening Date	29/09/2026 at 03:30 PM
EMD amount (in Rs.)	10,000/- (Rupees Ten Thousand Only)
Tentative Cost of the Tender	Rs 3,00,000/-

Tender documents may be downloaded from web site <http://www.slbsgmchmandi.com>
(for reference only).

Signature



SHRI LAL BAHADUR SHASTRI GOVT. MEDICAL COLLEGE
AND HOSPITAL MANDI AT NERCHOWK, DISTT. MANDI, H.P.

E-Mail Address = prslbsgmchmandi@gmail.com

Telephone No. 01905-243945, 243950 Fax No. 01905-243949



No. HFW-SLBSGMC-Proc-BioChem-03/2025- 21638-39

Dated: 08/09/26

"NOTICE INVITING LIMITED TENDER"

Sealed Limited Tender are hereby invited from registered agencies/firms by the undersigned for the purchase of **"Consumable/Reagent items required in the Department of Biochemistry, SLBSGMC&H, Mandi at Nerchowk, HP"**. The last date for receipt of Tender is **09.09.2026 up to 11:00 AM**, after which no tender will be accepted. The Tender will be opened on the same day at **03:30 PM** in the presence of the Technical Committee of Department of Biochemistry and other representative of SLBSGMCH Mandi at Nerchowk. The detailed specifications of the required items in different sections and the Terms & Conditions are given below: -

Sr. No.	Details of Article	Specifications	Remarks
1.	Reagent Bottle with Stopper (Amber) 125 ML	i. Material should be Borosilicate Glass. ii. Should be resistant to acids, alkalis, salts and laboratory reagents iii. Should be suitable for heating upto 500° C iv. Graduation marking should be permanent enamel/amber markings v. Should have narrow mouth design vi. Capacity should be 125 ml. vii. Thickness of bottle at any point should be 0.5 mm at least viii. Diameter of bottle should be 15-25 mm.	
2.	Reagent Bottle with Stopper (Plain) 125 ML	Reagent Bottles Plain: i. Material should be Borosilicate Glass. ii. Should be resistant to acids, alkalis, salts and laboratory reagents iii. Should be suitable for heating upto 500° C iv. Graduation marking should be permanent enamel/amber markings v. Should have narrow mouth design vi. Capacity should be 125 ml. vii. Thickness of bottle at any point should be 0.5 mm at least	

Signature


		viii. Diameter of bottle should be 15-25 mm.	
3.	Beakers (Glass) 100 MI	Specifications of Beakers (100ml): i. Material should be Borosilicate Glass ii. Should have spout on the beaker iii. Should have measuring scale provided on beaker iv. Capacity should be 100 ml v. Outer diameter 55-60 mm vi. Wall thickness should be 2.6-3.5 mm vii. Base thickness should be 2.6-3.5 mm viii. Height of beaker should be 50-65 mm	
4.	Beakers (Glass) 50 MI	i. Material should be Borosilicate Glass ii. Should have spout on the beaker iii. Should have measuring scale provided on beaker iv. Capacity should be 50 ml v. Outer diameter 55-60 mm vi. Wall thickness should be 2.6-3.5 mm vii. Base thickness should be 2.6-3.5 mm viii. Height of beaker should be 50-65 mm	
5.	Urinometers	i. Urine density tolerance at 27 degree Celsius floating in distilled water should be 0.001 ii. Cementing material used for fixing weighting material should not soften at 80 degree Celcius iii. Should be scratch resistant glass iv. Body material should be graduated glass v. Dimensions conformity should be upto the standards of IS (latest version) vi. Thickness of graduations lines should be 0.2 mm vii. Weighting material should be mercury viii. Black space before (at the top of tube) should be 20 mm ix. Outer diameter of base should be 16 mm x. Overall length of should be 135 mm xi. Reading grid overall length should be 45mm xii. Nominal diameter should be 4mm xiii. Should be corrosion resistant against basic chemicals	
6.	Glass Dropper with rubber teat	i. Glass droppers should be of borosilicate glass. ii. Should have clear and uniform bore for consistent drop size and reproducible results.	

		iii. Capacity should be 3ml-5ml. iv. Should have uniform wall thickness.	
7.	Pasture Pipette (Plastic) 3 MI	i. The material should be polystyrene ii. Should be serological pipette iii. Graduation interval or scale division should 0.5 ml. iv. Capacity of pasture pipette should be 3ml v. Should have permanent graduation lines vi. Pipette should be transparent or clear.	
8.	Measuring Cylinder Glass 100 MI	i. Material should be Borosilicate Glass ii. Should have spout on the beaker iii. Should have measuring scale provided on beaker iv. Capacity should be 100 ml v. Outer diameter 55-60 mm vi. Wall thickness should be 2.6-3.5 mm vii. Base thickness should be 2.6-3.5 mm viii. Height of beaker should be 50-65 mm	
9.	Test Tubes (with Rim 18x150 mm)	i. tubes should be grade 1 (highly Chemically resist) borosilicate glass ii. Nominal Size: Outer diameter 18mm x Length 150mm	
10.	Test Tubes Holder	i. Clamp holding test tube holders. ii. Clamp jaws should be made of nickel plated brass or chrome-plated steel. iii. Should have wooden handle.	
11.	Trichloroacetic Acid 100 Gm	Cc13COOH	
12.	Barium Chloride 500 Gm	Bacl2	
13.	Sodium Citrate Tribasic 500Gm	C6H5NaO72H2O	
14.	Egg Albumin 500 Gm	--	

Amel

GENERAL TERMS AND CONDITIONS

1. The Tender must be super scribed as "Consumable/Reagent items required in the Department of Biochemistry, SLBSGMC&H, Mandi at Nerchowk, HP".
2. The Tender must be accompanied with a Tender Fees Rs 500/- (Five Hundred) non-refundable and Earnest Money for Rs. 10,000/- (Ten Thousand Only) refundable only in the shape of FDR duly pledged in favor of the Additional Director, SLBS Govt. Medical College Mandi at Nerchowk (H.P) without which tender will be rejected.
3. The Rates and GST (as applicable) should be clear.
4. 100 % quantity of Material/Equipment should be supplied & installed **within one Month**.
5. Penalty will be imposed as deemed fit by the undersigned for delay supply and the penalty for late supply will be deducted for the bill of the successful Bidder if he failed to supply the item as per time schedule given Supply Order, However, the penalty can be either waived off or reduced solely at the discretion of the undersigned, if a cogent reason is shown by the bidder in advance, only for a reasonable period.
6. The Tenderer is required to submit the Bid in a sealed cover containing two separate envelopes. One envelopes shall contain "Technical Bid" and second envelop shall contain "Financial Bid". These both envelopes shall be marked as "Technical Bid" and Financial Bid separately.
7. **Technical Bid Envelop:** - This envelop shall contain
 - Tender Form,
 - Acceptance of Terms & Conditions – Undertaking / Declaration,
 - Attested copies of documents (Valid registration certificate issued by competent authority, TIN No./ PAN/GST No.)
 - Aadaar Card/address proof.
 - Drug License.
 - Copy of Partnership Deed in case of Partnership firms mentioned in the terms and conditions.
 - Last 3 Years ITR Copies.
 - OEM authorization Certificate (If applicable)
 - ISO Certificate.
 - CDSCO Registration as applicable.
 - Compliance sheet as per specification required.
 - Tender Fee
 - Earnest Money in the shape of FDR duly pledged in favor of the **Additional Director SLBS Govt. Medical College Mandi at Nerchowk (H.P)** shall be placed in this envelop.



- The Company/Partnership firm should not have been blacklisted by any State Government, Central Government, or any Government entity during the last two years and must submit an undertaking to this effect along with the bid.

The Technical Bid Envelop shall be opened on the date of opening of tender.

8. The Bidder is required to submit the Bid in a sealed cover along with Tender Form, Sealed Tender should be sent through registered post/ speed post/courier /By Hand only to the "Additional Director, Shri Lal Bahadur Shastri Govt. Medical College and Hospital Mandi at Nerchowk, PO Bhangrotu, Tehsil Balh, Distt. Mandi H.P. 175021".
9. Conditional bidders will not be entertained.
10. The quoted rates should be valid for **One year** from the dated of contract/supply order.
11. Supplies not conforming to the approved sample will be rejected and returned to the firm at their risk and costs.
12. In case the successful bidders after having received the supply order from the Additional Director, SLBS Govt. Medical College Mandi at Nerchowk (H.P) fails to execute the job, the Additional Director will be at liberty to entrust job to other firm/Company at the risk and cost of such failed bidders. Such failed bidders will be liable to pay such damages as may be claimed by the Additional Director, SLBS Govt. Medical College Mandi at Nerchowk (H.P).
13. The Additional Director, SLBS Govt. Medical College Mandi at Nerchowk (H.P) reserves the right to accept or reject any bidder without assigning any reasons whatsoever.
14. In case of any dispute or difference rising out of regarding the interpretation of any clause of these Terms & Conditions the matter shall be referred for arbitration to the H.P. Govt. whose decision shall be final and binding on both the parties.
15. These terms and Conditions will be treated as an agreement between the undersigned and the successful bidder/contractor of this quotation.
16. The power to increase and decrease the number of Equipment is reserved with the Additional Director, SLBSGMCH, Mandi at Nerchowk.
17. The last date of receipt of sealed tender is **29.09.2026 up to 11:00 AM** and the same will be opened on the same day at **03:30 noon** in the presence of the Technical Committee of Department of Biochemistry and others representatives of SLBSGMCH Mandi at Nerchowk as well as bidders or their authorized representatives who may like to be present at the time.



18. All disputes shall be settled within at Himachal Pradesh High Court, Shimla only.



Additional Director (Admn.)
SLBSGMC&H, Mandi at Nerchowk
Distt. Mandi, Himachal Pradesh
Dated: 08/09/26

Endst. No. As above 21638-39
Copy to: -

1. The Professor & Head, Department of Biochemistry, for information and with the request to kindly participate in the quotation opening with two Members on the scheduled date and time. He is further requested to display a copy of the same on the departmental notice board, being a public place.
2. Sh. Pradeep Kumar(info@sriharidigitech.com) Website Manager for uploading the advertisement in official website www.slbsgmchmandi.com.



Additional Director (Admn.)
SLBSGMC&H, Mandi at Nerchowk
Distt. Mandi, Himachal Pradesh

18. All disputes shall be settled within at Himachal Pradesh High Court, Shimla only.



Additional Director (Admn.)
SLBSGMC&H, Mandi at Nerchowk
Distt. Mandi, Himachal Pradesh
Dated: 08/09/26

Endst. No. As above 21638-39
Copy to: -

1. The Professor & Head, Department of Biochemistry, for information and with the request to kindly participate in the quotation opening with two Members on the scheduled date and time. He is further requested to display a copy of the same on the departmental notice board, being a public place.
2. Sh. Pradeep Kumar(info@sriharidigitech.com) Website Manager for uploading the advertisement in official website www.slbsgmchmandi.com.



Additional Director (Admn.)
SLBSGMC&H, Mandi at Nerchowk
Distt. Mandi, Himachal Pradesh

(In Firms letter Pad head)

DECLARATION

I,aged.....year's S/o Sh.....
resident of..... do hereby solemnly declare and state on
oath as under: -

That..... has never
been blacklisted in the last two years by the State Government or Central Government or any
agency on account of non-supplying of products or other reasons.

Signature (With seal)

Verified that the contents of the para of this declaration are true and
correct to the best of my personal knowledge and nothing has been concealed therein.

Verified at

Dated

Signature (With seal)

Financial Bid (Proforma)

Sl. No.	Particulars	Quantity	Basic Rate	GST (If Applicable)	Amount (in Rs.)
1.	2	3	4	5	4+5
Grant Total					

Name of Firm: -
Signature (With Seal)

Technical Bid (Performa)

Sr. No.	Name of Equipment	Make & Model	Details of Quantity kept in each Unit / Pack / Box	Warranty	Specifications
1.					

Name of Firm: -
Signature (With Seal)